

# TYPE SPECIMENS OF MAMMALS IN THE SAN DIEGO NATURAL HISTORY MUSEUM

Suzanne I. Bond

The mammal collections of the San Diego Society of Natural History comprise more than 21,000 specimens, of which the majority are from the southwestern United States and Baja California, Mexico. Included are holotypes of two species and 87 subspecies. In this catalog of type specimens, the following information is given: name as originally published, original citation, currently accepted name if different from the original, collector, date of collection, original number, museum number, and type locality. Unless otherwise specified, all taxa listed here were considered valid by Hall and Kelson (Mammals of North America, Ronald Press, New York, 1959). Geographic coordinates not given in the original description and corrected spelling are given in brackets. All holotype specimens are in good condition; skulls and skins are present for all.

The length of the list precluded the inclusion of paratypes. For a complete list, order NAPS Document 00310 from ASIS National Auxiliary Publications Service, c/o CCM Information Sciences, Inc., 22 West 34th Street, New York, New York 10001; remitting \$1 for microfiche or \$3 for photocopies.

## FAMILY LEPORIDAE

### ***Sylvilagus bachmani howelli*** Huey

San Diego Soc. Nat. Hist., Trans. 5 (5): 67-68, 6 July 1927.

*Holotype*. — Adult female. Collected by L. M. Huey, 10 December 1926. SDSNH no. 5939.

*Type locality*. — 10 mi SE Alamo, Baja California, Mexico; lat. 31°35'N, long. 116°03'W.

### ***Sylvilagus bachmani rosaphagus*** Huey

San Diego Soc. Nat. Hist., Trans. 9 (23): 221-223, 31 July 1940.

*Holotype*. — Adult male. Collected by L. M. Huey, 2 June 1925. SDSNH no. 4947.

*Type locality*. — 2 mi W Santo Domingo Mission, Baja California, Mexico; lat. 30°45'N, long. 115°58'W.

## FAMILY SCIURIDAE

### ***Ammospermophilus harrisii kinoensis*** Huey

San Diego Soc. Nat. Hist., Trans. 8 (25): 352-353, 15 June 1937.

= *Ammospermophilus harrisii saxicola* (Mearns)

*Holotype*. — Adult female. Collected by L. M. Huey, 22 February 1935. SDSNH no. 11284.

*Type locality*. — Bahía Kino, Sonora, Mexico [lat. 28°40'N, long. 111°58'W].

*Remarks*. — A. H. Howell (N. Amer. Fauna 56: 169, 1938) considered *A. h. kinoensis* a synonym of *A. h. saxicola*.

### ***Ammospermophilus leucurus canfieldae*** Huey

San Diego Soc. Nat. Hist., Trans. 5 (15): 243-244, 27 February 1929.

*Holotype*. — Adult male. Collected by L. M. Huey, 14 February 1928. SDSNH no. 6873.

*Type locality*. — Punta Prieta, Baja California, Mexico; lat. 28°56'N, long. 114°12'W.

**Citellus beecheyi nudipes** Huey

San Diego Soc. Nat. Hist., Trans. 7 (2): 18-20, 6 October 1931.

= *Spermophilus beecheyi nudipes* (Huey)

*Holotype*. — Adult female. Collected by F. Stephens, 13 October 1926. SDSNH no. 2015.

*Type locality*. — Laguna Hanson, Sierra Juarez, Baja California, Mexico; lat. 31°58'N, long. 115°53'W.

*Remarks*. — The Committee on Nomenclature, American Society of Mammalogists recommended the use of *Spermophilus* to replace *Citellus* (J. Mamm. 49 (3): 605, 1968).

**Citellus beecheyi rupinarum** Huey

San Diego Soc. Nat. Hist., Trans. 7 (2): 17-18, 6 October 1931

= *Spermophilus beecheyi rupinarum* (Huey)

*Holotype*. — Sub-adult female. Collected by L. M. Huey, 9 October 1930. SDSNH no. 8251.

*Type locality*. — Catavina, Baja California, Mexico; lat. 29°54'N, long. 114°57'W.

**Citellus tereticaudus apricus** Huey

San Diego Soc. Nat. Hist. Trans. 5 (7): 85-86, 10 October 1927.

= *Spermophilus tereticaudus apricus* (Huey)

*Holotype*. — Adult male. Collected by L. M. Huey, 13 July 1927. SDSNH no. 6308.

*Type locality*. — Valle de la Trinidad, Baja California, Mexico; lat. 31°20'N, long. 115°40'W.

**Citellus tereticaudus vociferans** Huey

Proc. Biol. Soc. Wash. 39: 29-30, 30 July 1926.

= *Spermophilus tereticaudus tereticaudus* Baird

*Holotype*. — Adult female. Collected by L. M. Huey, 25 March 1926. SDSNH no. 5127.

*Type locality*. — San Felipe, Baja California, Mexico [ lat. 31°02'N, long. 114°50'W ].

*Remarks*. — A. H. Howell (N. Amer. Fauna 56: 185, 1938) considered *C. t. vociferans* a synonym of *C. t. tereticaudus*.

## FAMILY GEOMYIDAE

**Thomomys bottae abbotti** Huey

San Diego Soc. Nat. Hist., Trans. 5 (8): 89-90, 18 January 1928.

= *Thomomys umbrinus abbotti* Huey

*Holotype*. — Adult male. Collected by L. M. Huey, 10 May 1925. SDSNH no. 4781.

*Type locality*. — 1 mi E El Rosario, Baja California, Mexico; lat. 30°03'N, long. 115°48'W.

*Remarks*. — Hall & Kelson (Mamm. N. Amer. 1: 416, 1959) considered *bottae* conspecific with *umbrinus*. See also Patton & Dingman, J. Mamm., 49 (1): 1-13, 1968.

**Thomomys bottae affinis** Huey

San Diego Soc. Nat. Hist., Trans. 10 (14): 254-255, 31 August 1945.

= *Thomomys umbrinus affinis* Huey

*Holotype*. — Adult male. Collected by L. M. Huey, 9 May 1940. SDSNH no. 14083.

*Type locality*. — Jacumba, San Diego County, California.

**Thomomys argusensis** Huey

San Diego Soc. Nat. Hist., Trans. (5): 43-44, 19 December 1931.

= *Thomomys umbrinus argusensis* Huey

*Holotype*. — Adult male. Collected by S. G. Harter, 10 August 1931. SDSNH no. 9545.

*Type locality*. — Junction Ranch, Argus Mts., Inyo County, California.

**Thomomys bottae aridicola** Huey

San Diego Soc. Nat. Hist., Trans. 8 (25): 354-355, 15 June 1937.

= *Thomomys umbrinus aridicola* Huey

*Holotype*. — Adult female. Collected by L. M. Huey, 1 February 1936. SDSNH no. 11424.

*Type locality*. — 10 mi S Gila Bend, Maricopa County, Arizona, about 2 mi N of Black Gap.

**Thomomys bottae boregoensis** Huey

San Diego Soc. Nat. Hist., Trans. 9 (15): 70-71, pl. 5, Figure D, 8 December 1939.

= *Thomomys umbrinus boregoensis* Huey

*Holotype*. — Adult female. Collected by L. M. Huey, 29 March 1930. SDSNH no. 8034.

*Type locality*. — Beatty Ranch, Borego [= Borrego] Valley, San Diego County, California.

**Thomomys bottae aderrans** Huey

San Diego Soc. Nat. Hist., Trans. 9 (15): 71-72, pl. 5, Figure E, 8 December 1939.

= *Thomomys umbrinus boregoensis* Huey

*Holotype*. — Adult female. Collected by F. Stephens, 21 January 1924. SDSNH no. 1305.

*Type locality*. — Carrizo Creek, San Diego County, California.

*Remarks*. — J. E. Chittin (San Diego Soc. Nat. Hist., Trans. 9 (27): 275-277, 1941) considered *T. b. aderrans* a synonym of *T. u. boregoensis*.

**Thomomys bottae borjasensis** Huey

San Diego Soc. Nat. Hist., Trans. 10 (14): 262-263, 31 August 1945.

= *Thomomys umbrinus borjasensis* Huey

*Holotype*. — Adult female. Collected by L. M. Huey, 14 October 1941. SDSNH no. 14491.

*Type locality*. — San Borjas [= Borja] Mission, Baja California, Mexico; lat. 28°52'N, long. 113°53'W.

**Thomomys umbrinus brazierhowelli** Huey

San Diego Soc. Nat. Hist., Trans. 12 (23): 407-408, 1 February 1960.

*Holotype*. — Adult male. Collected by A. B. Howell, 26 February 1958. SDSNH no. 18725.

*Type locality*. — San Fernando Mission, Baja California, Mexico [lat. 29°58'N, long. 115°15'W].

**Thomomys bottae cactophilus** Huey

San Diego Soc. Nat. Hist., Trans. 5 (15): 241-242, 27 February 1929.

= *Thomomys umbrinus cactophilus* Huey

*Holotype*. — Adult male. Collected by L. M. Huey, 17 February 1928. SDSNH no. 6808.

*Type locality*. — Punta Prieta, Baja California, Mexico; lat. 28°56'N, long. 114°12'W.

**Thomomys bottae catavinensis** Huey

San Diego Soc. Nat. Hist., Trans. 7 (5): 45, 19 December 1937.

= *Thomomys umbrinus catavinensis* Huey

*Holotype*. — Adult female. Collected by L. M. Huey, 10 October 1930. SDSNH no. 8256.

*Type locality*. — Catavina, Baja California, Mexico; lat. 29°54'N, long. 114°57'W.

**Thomomys bottae cedrinus** Huey

San Diego Soc. Nat. Hist., Trans. 12 (6): 100-101, 10 February 1955.

= *Thomomys umbrinus cedrinus* Huey

*Holotype*. — Adult female. Collected by L. M. Huey, 27 April 1938. SDSNH no. 13161.  
*Type locality*. — From summit of Crossman Peak, Chemehuevis Mts.; Mohave County, Arizona.

**Thomomys bottae comobabiensis** Huey

San Diego Soc. Nat. Hist., Trans. 8 (25): 354, 15 June 1937.

= *Thomomys umbrinus comobabiensis* Huey

*Holotype*. — Adult female. Collected by L. M. Huey, 22 March 1937. SDSNH no. 12460.

*Type locality*. — 5 mi NW Sells, Pima County, Arizona.

**Thomomys bottae cunicularius** Huey

San Diego Soc. Nat. Hist., Trans. 10 (14): 252-253, 31 August 1945.

= *Thomomys umbrinus cunicularius* Huey

*Holotype*. — Adult male. Collected by L. M. Huey, 29 November 1936. SDSNH no. 12182.

*Type locality*. — Los Palmitos, SE base of Sierra Juarez, Baja California, Mexico; lat. 31°44'N, long. 115°36'W.

**Thomomys bottae growlerensis** Huey

San Diego Soc. Nat. Hist., Trans. 8 (25): 353-354, 15 June 1937.

= *Thomomys umbrinus growlerensis* Huey

*Holotype*. — Adult male. Collected by L. M. Huey, 16 March 1937. SDSNH no. 12387.

*Type locality*. — 7 mi E Papago Well, Pima County, Arizona.

**Thomomys bottae homorus** Huey

San Diego Soc. Nat. Hist., Trans. 11 (4): 55, 31 January 1949.

= *Thomomys umbrinus homorus* Huey

*Holotype*. — Adult male. Collected by L. M. Huey, 6 April 1947. SDSNH no. 15689.

*Type locality*. — 1 mi E Rancho Lagunita, Baja California, Mexico; lat. 28°20'N, long. 113°15'W.

**Thomomys bottae hueyi** Goldman

Wash. Acad. Sci. 28: 340-341, 15 July 1938.

= *Thomomys umbrinus hueyi* Goldman

*Holotype*. — Adult male. Collected by L. M. Huey, 17 June 1932. SDSNH no. 10088.

*Type locality*. — Spud Rock Ranger Station, 7400 ft., Rincon Mts., Pima County, Arizona.

**Thomomys bottae jobobae** Huey

San Diego Soc. Nat. Hist., Trans. 10 (14): 256-257, 31 August 1945.

= *Thomomys umbrinus jobobae* Huey

*Holotype*. — Adult male. Collected by L. M. Huey, 20 June 1927. SDSNH no. 6116.

*Type locality*. — Sangre de Cristo, Baja California, Mexico; lat. 31°52'N, long. 116°06'W.

**Thomomys bottae juarezensis** Huey

San Diego Soc. Nat. Hist., Trans. 10 (14): 255-256, 31 August 1945.

= *Thomomys umbrinus juarezensis* Huey

*Holotype*. — Adult male. Collected by L. M. Huey, 6 November 1936. SDSNH no. 5849.

*Type locality.* — Laguna Hanson, Sierra Juarez, Baja California, Mexico [lat. 31°58'N, long. 115°53'W].

**Thomomys bottae lorenzi** Huey

San Diego Soc. Nat. Hist., Trans. 9 (22): 219-220, 31 July 1940.

= *Thomomys umbrinus lorenzi* Huey

*Holotype.* — Adult male. Collected by P. Covel, 17 April 1933. Original no. 175, now SDSNH no. 10608.

*Type locality.* — 7 mi N Boulder Creek, Santa Cruz County, California.

**Thomomys bottae proximarinus** Huey

San Diego Soc. Nat. Hist., Trans. 10 (14): 261, 31 August 1945.

= *Thomomys umbrinus proximarinus* Huey

*Holotype.* — Adult male. Collected by L. M. Huey, 15 August 1940. SDSNH no. 14182.

*Type locality.* — Boca la Playa, 16 mi W Santo Tomas, Baja California, Mexico; lat. 31°32'N, long. 116°38'W.

**Thomomys bottae rhizophagus** Huey

San Diego Soc. Nat. Hist., Trans. 11 (4): 54-55, 31 January 1949.

= *Thomomys umbrinus rhizophagus* Huey

*Holotype.* — Adult male. Collected by L. M. Huey, 11 April 1947. SDSNH no. 15710.

*Type locality.* — Las Flores, 7 mi S of Bahia de Los Angeles, Baja California, Mexico; lat. 28°50'N, long. 113°32'W.

**Thomomys bottae ruricola** Huey

San Diego Soc. Nat. Hist., Trans. 11 (4): 53-54, 31 January 1949.

= *Thomomys umbrinus ruricola* Huey

*Holotype.* — Adult male. Collected by L. M. Huey, 27 June 1947. SDSNH no. 15944.

*Type locality.* — 4 mi N Santa Catarina Landing, Baja California, Mexico; lat. 29°35'N, long. 115°17'W.

**Thomomys bottae sanctidiegi** Huey

San Diego Soc. Nat. Hist., Trans. 10 (14): 258-259, 31 August 1945.

= *Thomomys umbrinus sanctidiegi* Huey

*Holotype.* — Adult male. Collected by L. M. Huey, 18 December 1941. SDSNH no. 14886.

*Type locality.* — Balboa Park, San Diego [San Diego County], California.

**Thomomys bottae vanrossemi** Huey

San Diego Soc. Nat. Hist., Trans. 8 (1): 1-2, 10 August 1934.

= *Thomomys umbrinus vanrossemi* Huey

*Holotype.* — Adult male. Collected by L. M. Huey, 15 February 1934. SDSNH no. 10922.

*Type locality.* — Punta Penascosa, Sonora, Mexico [lat. 31°25'N, long. 113°35'W].

**Thomomys bottae xerophilus** Huey

San Diego Soc. Nat. Hist., Trans. 10 (14): 257, 31 August 1945.

= *Thomomys umbrinus xerophilus* Huey

*Holotype.* — Adult male. Collected by L. M. Huey, 29 March 1936. SDSNH no. 11827.

*Type locality.* — Near Diablito Spring, summit of San Matias Pass (between Sierra Juarez & Sierra San Pedro Martir), Baja California, Mexico [near lat. 31°20'N, long. 115°30'W].

**Thomomys quadratus monoensis** Huey

San Diego Soc. Nat. Hist., Trans. 7 (35): 373-374, 31 May 1934.

= *Thomomys talpoides monoensis* Huey

*Holotype*. — Adult male. Collected by L. M. Huey, 7 August 1932. SDSNH no. 10414.

*Type locality*. — Dexter Creek Meadow, at confluence of Dexter and Wet Creeks, Mono County, California.

*Remarks*. — Goldman (J. Mamm. 20: 234, 1939) considered *T. q. monoensis* a synonym of *T. t. monoensis*.

## FAMILY HETEROMYIDAE

### **Perognathus longimembris aestivus** Huey

San Diego Soc. Nat. Hist., Trans. 5 (8): 87-89, 18 January 1928.

*Holotype*. — Adult male. Collected by L. M. Huey, 20 June 1937. SDSNH no. 6110.

*Type locality*. — Sangre de Cristo in Valle San Rafael on W base of Sierra Juarez, Baja California, Mexico; lat. 31°52'N, long. 116°06'W.

### **Perognathus longimembris internationalis** Huey

San Diego Soc. Nat. Hist., Trans. 9 (11): 47-50, 31 August 1939.

*Holotype*. — Adult male. Collected by L. M. Huey, 24 April 1936. SDSNH no. 11972.

*Type locality*. — Baja California side of the International Boundary at Jacumba, San Diego County, California.

### **Perognathus longimembris kinoensis** Huey

San Diego Soc. Nat. Hist., Trans. 8 (12): 73-74, 24 August 1935.

*Holotype*. — Adult male. Collected by L. M. Huey, 26 February 1935. SDSNH no. 11300.

*Type locality*. — Bahia Kino, Sonora, Mexico [lat. 28°40'N, long. 111°58'W].

### **Perognathus longimembris pimensis** Huey

San Diego Soc. Nat. Hist., Trans. 8 (25): 355-357, 15 June 1937.

*Holotype*. — Adult male. Collected by L. M. Huey, 22 May 1937. SDSNH no. 12579.

*Type locality*. — 11 mi W Casa Grande, Pinal County, Arizona.

### **Perognathus longimembris venustus** Huey

San Diego Soc. Nat. Hist., Trans. 6 (17): 233, 24 December 1930.

*Holotype*. — Adult female. Collected by L. M. Huey, 4 October 1930. SDSNH no. 8196.

*Type locality*. — San Agustin, Baja California, Mexico; lat. 30°N, long. 115°W.

### **Perognathus longimembris virginis** Huey

San Diego Soc. Nat. Hist., Trans. 9 (12): 55-56, 31 August 1939.

*Holotype*. — Adult male. Collected by L. M. Huey, 12 August 1937. SDSNH no. 12919.

*Type locality*. — St. George, 2950 ft., Washington County, Utah.

### **Perognathus alticola inexpectatus** Huey

Proc. Biol. Soc. Wash. 39: 121-122, 27 December 1926.

*Holotype*. — Adult male. Collected by G. Cantwell, 28 August 1936. Original no. 216, now SDSNH no. 5724.

*Type locality*. — 14 mi W Lebec, Kern County, California.

### **Perognathus formosus infolatus** Huey

San Diego Soc. Nat. Hist., Trans. 12 (1): 1-2, 1 March 1954.

*Holotype*. — Adult male. Collected by L. M. Huey, 3 April 1947. SDSNH no. 15664.

*Type locality*. — 7 mi W San Francisquito Bay, Gulf of California, Baja California, Mexico; lat. 28°30'N, [long. 113°W].

### **Perognathus formosus mohavensis** Huey

San Diego Soc. Nat. Hist., Trans. 9 (8): 35-36, 21 November 1938.

*Holotype*. — Adult male. Collected by L. M. Huey, 14 April 1935. SDSNH no. 11317.  
*Type locality*. — Bonanza King Mine, Providence Mts., San Bernardino County, California.

***Perognathus baileyi hueyi* Nelson & Goldman**

Proc. Bio. Soc. Wash. 42: 106-107, 25 March 1929.

*Holotype*. — Adult female. Collected by L. M. Huey, 17 April 1926. SDSNH no. 5220.

*Type locality*. — San Felipe, Baja California, Mexico [lat. 31°02'N, long. 114°50'W].

***Perognathus baileyi mesidios* Huey**

San Diego Soc. Nat. Hist., Trans. 13 (7): 112, 15 January 1964.

*Holotype*. — Adult male. Collected by L. M. Huey, 13 October 1941. SDSNH no. 14470.

*Type locality*. — San Borja Mission, Baja California, Mexico; lat. 28°45'N [long. 113°50'W].

***Perognathus arenarius albescens* Huey**

Proc. Biol. Soc. Wash. 39: 67-69, 30 July 1926.

*Holotype*. — Adult male. Collected by L. M. Huey, 23 March 1926. SDSNH no. 5103.

*Type locality*. — San Felipe, Baja California, Mexico [lat. 31°02'N, long. 114°50'W].

***Perognathus arenarius mexicalis* Huey**

San Diego Soc. Nat. Hist., Trans. 9 (13): 57-58, 31 August 1939.

*Holotype*. — Adult female. Collected by L. M. Huey, 23 November 1936. SDSNH no. 12127.

*Type locality*. — Los Muertos Canyon fan, Gaskill's Tank, near Laguna Salada, Baja California, Mexico; lat. 32°27'N, long. 115°53'W.

***Perognathus arenarius paralius* Huey**

San Diego Soc. Nat. Hist., Trans. 13 (7): 113, 15 January 1964.

*Holotype*. — Adult male. Collected by L. M. Huey, 23 March 1926. SDSNH no. 15542.

*Type locality*. — Barril, Baja California, Mexico; lat. 28°20'N [long. 112°50'W].

***Perognathus arenarius sabulosus* Huey**

San Diego Soc. Nat. Hist., Trans. 13 (7): 114, 15 January 1964.

*Holotype*. — Adult male. Collected by L. M. Huey, 22 May 1926. SDSNH no. 5300.

*Type locality*. — From mainland on the S side of Scammon's Lagoon, Baja California, Mexico [near lat. 27°40'N, long. 114°05'W].

***Perognathus intermedius lithophilus* Huey**

San Diego Soc. Nat. Hist., Trans. 8 (25): 355, 15 June 1937.

*Holotype*. — Adult male. Collected by L. M. Huey, 5 February 1935. SDSNH no. 11211.

*Type locality*. — Porto [= Puerto] Libertad, Sonora, Mexico [lat. 29°57'N, long. 112°40'W].

***Perognathus fallax majusculus* Huey**

San Diego Soc. Nat. Hist., Trans. 12 (25): 418, 1 February 1960.

*Holotype*. — Adult male. Collected by L. M. Huey, 29 June 1947. SDSNH no. 15952.

*Type locality*. — San Quintin, Baja California, Mexico [lat. 30°30'N, long. 115°59'W].

***Perognathus fallax xerotrophicus* Huey**

San Diego Soc. Nat. Hist., Trans. 12 (25): 419, 1 February 1960.

*Holotype*. — Adult male. Collected by L. M. Huey, 15 October 1930. SDSNH no. 8310.

*Type locality*. — 2 mi NW Chapala, Baja California, Mexico [lat. 29°25'N, long. 114°20'W].

**Perognathus spinatus broccus** Huey

San Diego Soc. Nat. Hist., Trans. 12 (24): 410, 1 February 1960.

*Holotype*. — Adult male. Collected by L. M. Huey, 18 March 1928. SDSNH no. 6891.

*Type locality*. — San Ignacio, Baja California, Mexico; lat. 27°17'N [long. 112°55'W].

**Perognathus spinatus lorenzi** Banks

Pro. Biol. Soc. Wash. 80: 101-103, 28 July 1967.

*Holotype*. — Adult male. Collected by R. C. Banks, 22 October 1964. Original no. RCB-2366, now SDSNH no. 19901.

*Type locality*. — South San Lorenzo Island, Gulf of California, Baja California, Mexico; lat. 23°36'N, long. 112°51'W.

**Perognathus spinatus oribates** Huey

San Diego Soc. Nat. Hist., Trans. 12 (24): 409-410, 1 February 1960.

*Holotype*. — Adult male. Collected by L. M. Huey, 27 February 1958. SDSNH no. 18742.

*Type locality*. — San Fernando Mission, Baja California, Mexico; lat. 30°N [long. 115°15'W].

**Perognathus spinatus prietae** Huey

San Diego Soc. Nat. Hist., Trans. 6 (17): 232-233, 24 December 1930.

*Holotype*. — Adult male. Collected by L. M. Huey, 26 October 1930. SDSNH no. 8450.

*Type locality*. — 25 mi N Punta Prieta, Baja California, Mexico; lat. 29°24'N, long. 114°24'W.

**Perognathus spinatus rufescens** Huey

San Diego Soc. Nat. Hist., Trans. 6 (17): 231-232, 24 December 1930.

*Holotype*. — Adult male. Collected by L. M. Huey, 10 November 1929. SDSNH no. 7446.

*Type locality*. — Mouth of Palm Canyon, Borego [= Borrego] Valley, San Diego County, California.

**Dipodomys mohavensis argusensis** Huey

San Diego Soc. Nat. Hist., Trans. 10 (10): 131-132, 9 March 1945.

= *Dipodomys panamintinus argusensis* Huey

*Holotype*. — Adult male. Collected by S. G. Harter, 13 August 1931. Original no. 140, now SDSNH no. 9552.

*Type locality*. — Junction Ranch, 5725 ft., Argus Mts., Inyo County, California.

*Remarks*. — Miller and Kellog (Bull. U.S. Nat. Mus. 205: 387, 3 March 1955) considered *D. m. argusensis* a synonym of *D. p. argusensis*.

**Dipodomys cascus** Huey

San Diego Soc. Nat. Hist., Trans. 12 (29): 479-480, 30 August 1962.

= *Dipodomys stephensi* (Merriam)

*Holotype*. — Adult male. Collected by L. M. Huey, 17 August 1961. SDSNH no. 18961.

*Type locality*. — 1 mi E Bonsall, San Diego County, California.

*Remarks*. — Lackey (San Diego Soc. Nat. Hist., Trans. 14 (22): 328, 1967) considered *D. cascus* a synonym of *D. stephensi*.

**Dipodomys agilis martirensis** Huey

San Diego Soc. Nat. Hist., Trans. 5 (1): 7-8, 20 February 1927.

*Holotype*. — Adult male. Collected by L. M. Huey, 28 September 1926. SDSNH no. 5762.

*Type locality*. — La Grulla (east side of the valley), Sierra San Pedro Martir, Baja

California, Mexico [lat. 30°50'N, long. 115°20'W].

**Dipodomys agilis plectilis** Huey

San Diego Soc. Nat. Hist., Trans. 11 (10): 240, 30 April 1951.

*Holotype*. — Adult female. Collected by L. M. Huey, 1 May 1925. SDSNH no. 4721.

*Type locality*. — Mouth of Canyon San Juan de Dios, Baja California, Mexico; lat. 30°7'N, [long. 115°10'W].

**Dipodomys agilis latimaxillaris** Huey

Pro. Biol. Soc. Wash. 38: 84, 26 May 1925.

= *Dipodomys agilis simulans* (Merriam)

*Holotype*. — Adult male. Collected by L. M. Huey, 27 February 1925. SDSNH no. 4696.

*Type locality*. — 2 mi W Santo Domingo Mission, Baja California, Mexico; lat. 30°45'N, long. 115°58'W.

*Remarks*. — Huey (San Diego Soc. Nat. Hist., Trans. 11 (10): 234, 1951) later considered *D. a. latimaxillaris* a synonym of *D. a. simulans*.

**Dipodomys parlius** Huey

San Diego Soc. Nat. Hist., Trans. 11 (10): 241, 30 April 1951.

*Holotype*. — Adult male. Collected by L. M. Huey, 13 April 1923. SDSNH no. 4250.

*Type locality*. — Santa Catarina Landing, Baja California, Mexico; lat. 29°31'N [long. 115°20'W].

**Dipodomys peninsularis australis** Huey

San Diego Soc. Nat. Hist., Trans. 11 (1): 249, 30 April 1951.

*Holotype*. — Adult male. Collected by L. M. Huey, 21 November 1941. SDSNH no. 14734.

*Type locality*. — Santo Domingo, Magdalena Plain, Baja California, Mexico; lat. 25°30'N [long. 112°07'W].

**Dipodomys peninsularis eremoeus** Huey

San Diego Soc. Nat. Hist., Trans. 11 (10): 248-249, 30 April 1951.

*Holotype*. — Adult male. Collected by L. M. Huey, 31 March 1947. SDSNH no. 15619.

*Type locality*. — 7 mi W San Francisquito Bay, Gulf of California, Baja California, Mexico; lat. 28°30'N [long. 112°58'W].

**Dipodomys peninsularis pedionomus** Huey

San Diego Soc. Nat. Hist., Trans. 11 (10): 247-248, 30 April 1951.

*Holotype*. — Adult male. Collected by L. M. Huey, 17 October 1930. SDSNH no. 8363.

*Type locality*. — 2 mi N [label says NW] Chapala Dry Lake, on Llano Santa Ana, Baja California, Mexico; lat. 29°30'N, long. 114°35'W.

**Dipodomys gravipes** Huey

Pro. Biol. Soc. Wash. 38:83-84, 26 May 1925.

*Holotype*. — Adult male. Collected by L. M. Huey, 28 February 1925. SDSNH no. 4703.

*Type locality*. — 2 mi W Santo Domingo Mission, Baja California, Mexico; lat. 30°45'N, long. 115°58'W.

**Dipodomys antiquarius** Huey

San Diego Soc. Nat. Hist., Trans. 12 (29): 477-479, 30 August 1962.

*Holotype*. — Adult female. Collected by G. Ives, 30 March 1960. SDSNH no. 18901.

*Type locality*. — San Juan Mine, Sierra San Borja, Baja California, Mexico; lat. 28°50'N, long. 113°37'W.

**Dipodomys merriami annulus** Huey

San Diego Soc. Nat. Hist., Trans. 11 (10): 224-225, 30 April 1951.

*Holotype*. — Adult female. Collected by L. M. Huey, 22 March 1947. SDSNH no. 15522.

*Type locality*. — Barril, Gulf of California, Baja California, Mexico; lat. 28°20'N, long. 112°50'W.

**Dipodomys merriami brunensis** Huey

San Diego Soc. Nat. Hist., Trans. 11 (10): 225-226, 30 April 1951.

*Holotype*. — Adult male. Collected by L. M. Huey, 28 March 1928. SDSNH no. 6904.

*Type locality*. — Llano de San Bruno, Baja California, Mexico [lat. 26°15'N, long. 111°35'W].

**Dipodomys merriami llanoensis** Huey

San Diego Soc. Nat. Hist., Trans. 11 (10): 226-227, 30 April 1951.

*Holotype*. — Adult male. Collected by L. M. Huey, 15 November 1941. SDSNH no. 14676.

*Type locality*. — Buena Vista, Magdalena Plain, Baja California, Mexico; lat. 24°51'N, long. 111°50'W.

**Dipodomys merriami quintinensis** Huey

San Diego Soc. Nat. Hist., Trans. 11 (10): 222-223, 30 April 1951.

*Holotype*. — Adult male. Collected by L. M. Huey, 9 April 1923. SDSNH no. 4205.

*Type locality*. — 5 mi E San Quintin, Baja California, Mexico [lat. 30°30'N, long. 115°50'W].

**Dipodomys merriami semipallidus** Huey

San Diego Soc. Nat. Hist., Trans. 5 (5): 65-66, 6 July 1927.

*Holotype*. — Adult female. Collected by L. M. Huey, 15 April 1923. SDSNH no. 4271.

*Type locality*. — 7 mi N Santa Catarina, Baja California, Mexico; lat. 29°45'N, long. 115°10'W.

**Dipodomys merriami trinidadensis** Huey

San Diego Soc. Nat. Hist., Trans. 11 (10): 220-221, 30 April 1951.

*Holotype*. — Adult male. Collected by L. M. Huey, 13 March 1936. SDSNH no. 11531.

*Type locality*. — Aguajito Spring, El Valle de la Trinidad, Baja California, Mexico [near lat. 31°28'N, long. 115°40'W].

**Dipodomys deserti arizonae** Huey

San Diego Soc. Nat. Hist., Trans. 12 (6): 99-100, 10 February 1955.

*Holotype*. — Adult male. Collected by L. M. Huey, 14 May 1937. SDSNH no. 12532.

*Type locality*. — 3 mi SE Picacho, Pinal County, Arizona.

## FAMILY CRICETIDAE

**Peromyscus crinitus pallidissimus** Huey

San Diego Soc. Nat. Hist., Trans. 6 (26): 389-390, 28 August 1931.

*Holotype*. — Adult male. Collected by A. W. Anthony, 21 November 1930. Original no. 1175, now SDSNH no. 8864.

*Type locality*. — Small island in Gonzaga Bay, Baja California, Mexico; lat. 29°50'N, long. 114°20'W.

**Peromyscus guardia harbisoni** Banks

J. Mamm. 48 (2): 215, 20 May 1967.

*Holotype*. — Adult male. Collected by C. F. Harbison, 23 March 1963. Original no. RCB-1607, now SDSNH no. 19194.

*Type locality.* — Isla Granite, Gulf of California, Baja California, Mexico; lat. 29°33'N, long. 113°34'W.

***Peromyscus interparietalis lorenzi* Banks**

J. Mamm. 48 (2): 216, 20 May 1967.

*Holotype.* — Adult male. Collected by R. C. Banks, 23 October 1964. Original no. RCB-2282, now SDSNH no. 19912.

*Type locality.* — Isla San Lorenzo Norte, Gulf of California, Baja California, Mexico; lat. 28°42'N, long. 112°57'W.

***Peromyscus interparietalis ryckmani* Banks**

J. Mamm. 48 (2): 216, 20 May 1967.

*Holotype.* — Adult female. Collected by R. C. Banks, 23 October 1964. Original no. RCB-2335, now SDSNH no. 19944.

*Type locality.* — Isla Salsipuedes, Gulf of California, Baja California, Mexico; lat. 28°42'N, long. 112°59'W.

***Peromyscus maniculatus hueyi* Nelson and Goldman**

San Diego Soc. Nat. Hist., Trans. 7 (7): 51-52, 15 April 1932.

*Holotype.* — Adult male. Collected by A. W. Anthony, 21 November 1930. Original no. 1172, now SDSNH no. 8861.

*Type locality.* — Small island in Gonzaga Bay, Baja California, Mexico; lat. 20°15'N [long. 114°20'W].

***Neotoma lepida aridicola* Huey**

San Diego Soc. Nat. Hist., Trans. 12 (15): 287-288, 25 September 1957.

*Holotype.* — Adult male. Collected by L. M. Huey, 27 March 1947. SDSNH no. 15595.

*Type locality.* — El Barril, Gulf of California, Baja California, Mexico; lat. 28°20'N [long. 112°50'W].

***Neotoma lepida aureotunicata* Huey**

San Diego Soc. Nat. Hist., Trans. 8 (25): 349-350, 15 June 1937.

*Holotype.* — Adult male. Collected by L. M. Huey, 14 February 1934. SDSNH no. 10907.

*Type locality.* — Punta Penascosa, Sonora, Mexico [lat. 31°20'N, long. 113°40'W].

***Neotoma lepida harteri* Huey**

San Diego Soc. Nat. Hist., Trans. 8 (25): 351-352, 15 June 1937.

*Holotype.* — Adult male. Collected by L. M. Huey, 8 February 1936. SDSNH no. 11462.

*Type locality.* — 10 mi S Gila Bend (2 mi N Black Gap), Maricopa County, Arizona.

***Neotoma lepida molagrandis* Huey**

San Diego Soc. Nat. Hist., Trans. 10 (16): 307-310, 31 August 1945.

*Holotype.* — Adult male. Collected by L. M. Huey, 28 April 1940. SDSNH no. 14065.

*Type locality.* — Santo Domingo Landing, some 3 mi inland from the beach landing, Baja California, Mexico; lat. 28°15'N [long. 114°02'W].

***Phenacomys silvicolus* A. B. Howell**

J. Mamm. 2: 98-100, pl. 7, 2 May 1921.

= *Phenacomys silvicola* A. B. Howell

*Holotype.* — Young adult female. Collected by P. Walker, 25 October 1916. Originally of the S. G. Jewett Coll., no. 1214, now SDSNH no. 16437.

*Type locality.* — 5 mi SE Tillamook, Tillamook County, Oregon.

**Microtus californicus grinnelli** Huey

San Diego Soc. Nat. Hist., Trans. 7 (6): 47-49, 19 December 1931.

*Holotype*. — Adult male. Collected by L. M. Huey, 26 June 1927. SDSNH no. 6165.

*Type locality*. — Sangre de Cristo in Valle San Rafael on the W base of the Sierra Juarez, Baja California, Mexico; lat. 31°52'N, long. 116°06'W.

**Ondatra zibethicus goldmani** Huey

San Diego Soc. Nat. Hist., Trans. 8 (32): 409-410, 18 January 1938.

*Holotype*. — Adult female. Collected by L. M. Huey, 11 August 1937. SDSNH no. 12915.

*Type locality*. — Saint George, Washington County, Utah.

## FAMILY CANIDAE

**Urocyon cinereoargenteus peninsularis** Huey

San Diego Soc. Nat. Hist., Trans. 5 (13): 205-207, pl. 25, Figure 1, pl. 26, Figure 3, 1 September 1928.

*Holotype*. — Adult male. Collected by L. M. Huey, 10 March 1928. SDSNH no. 6845.

*Type locality*. — San Ignacio, Baja California, Mexico; lat. 27°24'N, long. 112°59'W.

## FAMILY PROCYONIDAE

**Bassariscus astitus yumanensis** Huey

San Diego Soc. Nat. Hist., Trans. 8 (25): 357-359, pl. 23, 15 June 1937.

*Holotype*. — Adult male. Collected by L. M. Huey, 6 March 1937. SDSNH no. 12272.

*Type locality*. — Tinajas Atlas, Gila Mts., Yuma County, Arizona.

*Department of Birds and Mammals, San Diego Natural History Museum, P.O. Box 1390, San Diego, California 92112*